


## DS-D5027UC 27" Monitor

### Key Features

- High-definition image quality, high brightness, 4K ultra-clear display, outstanding image;
- Super wide viewing angle screen (up, down, left and right) 178 ° ;
- Adaptive reappearance rate of signal input status image;
- High-definition digital audio coaxial output with strong anti-interference ability;
- The HDMI / DP interface supports ultra high-definition image input, and the PC interface is compatible with analog device access.



### Interfaces



NO.	Description	Description
1	HDMI	HDMI2.0, 3840*2160@60Hz
2	DisplaPort IN	DP input, 3840*2160@60Hz
3	AUDIO OUT	3.5mm audio output

### Model

DS-D5027UC



# Specifications

Model	DS-D5027UC	
Backlight	LED Backlight	
Screen Size	27 inch	
Resolution	3840×2160@60Hz	
Brightness	350cd/m <sup>2</sup>	
Contrast	1000:1	
Response Time	14ms	
Color	8 Bit + FRC(1.07G)	
Active Area	596.736 (H) mm×335.664 (V) mm	
Viewing Angle	Horizontal 178° , vertical 178°	
Interfaces	HDMI input	1
	DP input	1
	AUDIO output	1
Power Supply	100~240 VAC, 50/60 Hz	
Power Consumption	≤56W	
Standby Power Consumption	≤0.5W	
Working Temperature	0℃--40℃	
Working Humidity	10%--80%	
Storage Temperature	-20℃--60℃	
Storage Humidity	10%--80%	
Material of Casing	Plastic	
Color of Casing	Black	
VESA	100mm * 100mm, 4-M4*10mm	
Loudspeaker	2 * 2W	
Dimensions(W*H*D)	614.19mm(W) * 400.4mm(H) * 249.6mm(D)	
Packing Dimensions(W*H*D)	690 mm * 140mm * 480 mm	
Gross Weight	6.55 Kg	
Net Weight	5.07 kg	
Accessories	User manual	
	Power cord	
	Pedestal	
	HDMI 1.5 mm	
* Note	* All specifications mentioned above are subject to the actual product	



### Dimensions (unit: mm)

