

## DS-C30S-02HI/4K 2-Channel 4K HDMI Input Board



The video wall controller is mainly used for screen splicing control system, and is the core control device of the system. As a new-generation FPGA-based pure hardware image processing device, it adopts the dual data switching technology and the structure of main control board and service boards. It supports processing and transmitting large data, processing multiple high-definition and ultra-high-definition signals in real time, and managing multiple screens.

- Supports 2 channels of 4K HDMI signal input.
- Supports composite audio input.
- Supports custom resolution.


## ▪ Specification

| Model              |                             | DS-C30S-02HI/4K  |
|--------------------|-----------------------------|--|
| <b>Chassis</b>     | Occupied Slot               | Input slot   |
| <b>Audio Input</b> | Audio Input Interfaces      | 2  |
|                    | Audio Input Interface Type  | HDMI composite audio   |
|                    | Audio Sampling Rate         | 48K sampling rate  |
|                    | Audio Channel               | Dual channel   |
| <b>Video Input</b> | Video Input Interface Type  | HDMI 2.0   |
|                    | Video Input Interfaces      | 2  |
|                    | Video Input Resolution      | 1920 × 1080P@60 Hz, 1920 × 1200@60 Hz, 3840 × 2160@30 Hz, 3840 × 2160@60 Hz, 4096 × 2160@30 Hz, 4096 × 2160@60 Hz<br>Custom resolution: width ranges from 800 to 8192, height ranges from 600 to 8192. Width must be a multiple of 4 and height must be a multiple of 2. Frame rate is 30 Hz or 60 Hz. When configuring 30 Hz frame rate, the resolution ranges from 1920 × 1080 to 4096 × 2160. When configuring 60 Hz frame rate, the resolution ranges from 800 × 600 to 4096 × 2160. |
|                    | Max. Video Input Resolution | 4K   |

## ▪ Available Model

DS-C30S-02HI/4K

▪ Dimension



# See Far, Go Further



[www.hikvision.com](http://www.hikvision.com)  
[support@hikvision.com](mailto:support@hikvision.com)

