

DS-D4619CD-1A/P/A2
DS-D4619CD-1A/P/A2



- Cable package for 5 sqm screen, compatible with Aries Series and Aries Pro Series indoor 500x500mm : DS-D4626CD-1A, DS-D4626CD-1AC, DS-D4626CD-1AC/P, DS-D4629CD-1A, DS-D4629CD-1AC, DS-D4629CD-1AC/P, DS-D4639CD-1A, DS-D4639CD-1AC, DS-D4639CD-1AC/P. Default including : power supplies x1, receiving cards x1, HUB boards x1, main power cables x2, main data cables x2, power cable between cabinets x21, data

▪ Specification

Product Type	
Product Type	Spare Cables Package
Power	
Power Supply	110~220 VAC ± 15%
Working Environment	
Working Temperature	-20 °C to +40 °C (-4 °F to +104 °F)
Working Humidity	10%~95%RH (No condensation)
Storage Humidity	10%~95%RH (No condensation)
Storage Temperature	-20 °C to +40 °C (-4°F to +104 °F)
General	
Package Dimension (W × H × D)	626 (W) mm ×372 (H) mm × 402 (D) mm
Packing List	Module × 0 Main Network Cable (20 m) × 3 Main Power Cord (10 m) × 2 Cascading Network Cable × 21 Cascading Power Cord × 21 Joint Piece and Screw × 20 Driver IC × 0 Lamp Bead × 0 Power Supply × 1 Mask × 0 Power Input Aviation Plug (with Cord) × 1 Power Output Aviation Plug (with Cord) × 1 Aviation Plug for Network Interface × 1 Internal Network Cable × 1 Receiving Card × 1 Hub Board × 1
Gross Weight	16.8 kg/1 in 1 (37.04 lb.)

▪ Available Model

DS-D4619CD-1A/P/A2

▪ Accessory



DS-D4619CD-1AC/P

See Far, Go Further



www.hikvision.com
support@hikvision.com

