

DS-K7R01-433**Turnstile Remote Controller**

- Supports one-to-one and one-to-many (Max. 6 lanes) communication pairing
- Convenient to hang on the key chain, easy to use for security managers
- Simple and convenient control and management for turnstiles


▪ Specification

System	
MCBF	More than 0.5 million times for key press
Battery life	≥ 4 month (100 times per day, 25 °C)
Communication distance	15 m
Authentication	
Communication frequency	433 MHz
General	
Power supply method	Battery
Working temperature	-10 °C to 55 °C (14 °F to 131 °F)
Working humidity	10% to 90% (No condensing)
Dimensions	80 mm × 36 mm × 20 mm (3.1" × 1.4" × 0.8")

▪ Available Model


DS-K7R01-433

▪ Dimension



▪ Accessory

▪ Optional

DS-K3Y411BX	DS-K3Y501SX	DS-K3G501BX	DS-K3G411BX	DS-K3G530X
				
DS-K3B501SX	DS-K3B631TX	DS-K3Y411X	DS-K3BC430LX	DS-K3B631X
				
DS-K3G501X	DS-K3G411X	DS-K3B411BX	DS-K3B530X	DS-K3B802BX
				
DS-K3B801BX	DS-K3B411SX			
				

See Far, Go Further



www.hikvision.com
support@hikvision.com

