


## DS-TVL121-3-5/H

### One-way Indoor Parking Guidance Screen Module with 3 Number



- Standard RJ45 communication
- Display 1 arrow and 3 digits of remaining parking space number
- Easy configuration and maintenance
- LED module supports seven colors


## ▪ Specification

| Display Screen                   |  |
|----------------------------------|--|
| Screen Type                      | Indoor parking guidance screen with 1 Icon and 3 digits                                |
| Pixel Pitch                      | 7mm & 8mm  |
| Viewing Angle                    | 110°   |
| Luminance                        | 3800cd/m <sup>2</sup>  |
| Scanning Mode                    | 1/16 A Model Scanning  |
| Display Color                    | red, green, yellow, blue, purple, cyan, white  |
| Display Icon                     | ↑, ↓, ←, →, ↖, ↗, ↘, ↙, Family, Disabled, Charging, Pregnant, Female, Male, ○, ×, F, N |
| Communication Mode               | RJ45   |
| Screen Dimensions (W × H × D)    | 579mm*298mm*65mm   |
| General                          |  |
| Power Supply                     | AC100V~AC240V  |
| Max. Consumption                 | 14W  |
| Working Temperature and Humidity | -20°C ~ +50°C  |
| Package Size                     | 810mm*360mm*150mm  |
| Weight                           | 5.35kg   |
| Gross Weight                     | 8.95kg   |
| Lifespan                         | ≥20000 hour  |

## ▪ Available Model

DS-TVL121-3-5/H

## ▪ Dimension





**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

