

MCP400WCD-4.2/3.2
power supply for DS-D42CO-2APA series



- Power supply for DS-D42xxCO-2APA/DS-D42xxGO-2APA

▪ Specification

Product Type	
Product Type	Spare Power Supply Unit
Power	
Power Consumption	≤ 190 W
Power Supply	100-240V~ , 50/60Hz,5.5A Max
Working Environment	
Working Temperature	-40 °C to 60 °C (-40 °F to 140 °F)
Working Humidity	10%~90%RH (No condensation)
Storage Humidity	10%~90%RH (No condensation)
Storage Temperature	-40 °C to 60 °C (-40 °F to 140 °F)
General	
Package Dimension (W × H × D)	232 mm x 122 mm x 67 mm
Weight	600g/PCS
Hardware	
Dimensions (W × H × D)	185 mm × 68 mm × 26 mm

▪ Available Model

MCP400WCD-4.2/3.2, 400W power supply

▪ Accessory

▪ Optional

DS-D4257GO-2AAA	DS-D4266GO-2AAA	DS-D4280GO-2AAA	DS-D42A0GO-2AAA	DS-D42A0CO-2APA
				
DS-D4266CO-2APA	DS-D4280CO-2APA	DS-D4257CO-2APA		
				

See Far, Go Further



www.hikvision.com
support@hikvision.com

